

Notice of Allowability

Application No.

10/681,348

Examiner

Jean E. Lesperance

Applicant(s)

JUNG ET AL.

Art Unit

2629

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed May 15, 2007.
2. ☒ The allowed claim(s) is/are 1-7, 9-21, 23-32, 34-44, 46-54, and 56-59, and renumbered as 1-54.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material

5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


RICHARD HJERPE
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600

DETAILED ACTION

1. The amendment filed May 15, 2007 is entered and claims 1-7, 9-21, 23-32, 34-44, 46-54, and 56-59 are pending.

Allowable Subject Matter

2. Claims 1-7, 9-21, 23-32, 34-44, 46-54, and 56-59 are allowed.
3. The following is an examiner's statement of reasons for allowance: the claimed invention is directed to an LCD device including EM type touch panel.

Independent claim 1 identifies a uniquely distinct feature "an EM sensor having first and second coil arrays formed of a transparent electrode, the EM sensor integrated with any one of the first and second substrates in the LCD panel, wherein each of the first and second coil arrays include a plurality of coils, and each of the plurality of coils has first and second open ends".

Independent claim 13 identifies a uniquely distinct feature "an EM sensor having first and second coil arrays formed of a transparent electrode, the EM sensor integrated with any one of the first and second polarizing plates, wherein each of the first and second coil arrays include a plurality of coils, and each of the plurality of coils has first and second open ends".

Independent claim 28 identifies a uniquely distinct feature "an EM sensor including first and second coil arrays formed of a transparent electrode on the second

substrate, wherein each of the first and second coil arrays include a plurality of coils, and each of the plurality of coils has first and second open ends”.

Independent claim 40 identifies a uniquely distinct feature “an EM sensor including first and second coil arrays formed of a transparent electrode on the color filter layer, wherein each of the first and second coil arrays include a plurality of coils, and each of the plurality of coils has first and second open ends”.

Independent claim 50 identifies a uniquely distinct feature “an EM sensor including first and second coil arrays formed of a transparent electrode on the insulating layer, wherein each of the first and second coil arrays include a plurality of coils, and each of the plurality of coils has first and second open ends”.

The closest arts, Boie et al. and Yoshioka as discussed in the previous Office Action, either singularly or in combination, fail to anticipate or render obvious the above limitations obvious.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean Lesperance whose telephone number is (571) 272-7692. The examiner can normally be reached on from Monday to Friday between 10:00AM and 6:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

Art Unit: 2629

supervisor, Richard Hjerpe, can be reached on (571) 272-7691.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:

(571) 273-8300 (for Technology Center 2600 only)

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal drive, Arlington, VA, Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.

Jean Lesperance



Art Unit 2629

Date 6/4/2007